2022 Subaru Impreza®

Specifications

Body	4-Door Sedan and 5-Door		
Engine	4-cyl. horizontally opposed (Boxer), aluminum cylinder block and cylinder heads		
Displacement	1,995 cc / 122 cu. in.		
Bore x stroke	84 x 90mm		
Horsepower	152 @ 6,000 rpm		
Torque	145 lb-ft @ 4,000 rpm		
Valvetrain	Chain driven double overhead camshafts (DOHC); 4 valves per cylinder, Dual Active Valve Control System (DAVCS) controls valve timing on intake and exhaust camshafts; tumble generator valves		
Fuel system	Direct fuel injection, electronic throttle control		
Fuel requirement	Regular, 87 AKI		
Drivetrain	Symmetrical All-Wheel Drive standard for all models		
Transmission	Standard for Base models and 5-Door Sport: 5-speed manual		
	Optional for Base and Sport 5-door, standard for all others: Lineartronic® CVT (continuously variable transmission); features Low shift mode for Base model; 7-speed manual shift mode and paddle shift control switches for Premium, Sport and Limited.		
M/T AWD system	Continuous All-Wheel Drive with viscous-coupling locking center differential and nominal 50:50 torque split; transfers more torque to wheels with best traction		
A/T AWD system	Active AWD using electronically controlled variable transfer clutch		
Stability/traction system	Vehicle Dynamics Control (VDC) with all-wheel, all-speed traction control; Sport also includes Active Torque Vectoring		
Transmission ratios	5-speed manual	Lineartronic CVT manual mode with 7 preset ratios for Premium, Sport and Limited trims	
1	3.455	3.440	
2	1.889	2.059	
3	1.296	1.449	
4	0.972	1.044	
5	0.738	0.805	
6		0.637	
7		0.532	

Reverse	3.333	3.524	
Final drive	4.111	3.700	
Chassis	Subaru Global Platform, unitized body construction		
Suspension	4-wheel independent: Stablex dampers on Premium and Limited; sport-tuned with Stablex dampers on Sport; anti-dive front geometry and anti-lift rear geometry		
Front	MacPherson-type struts, lower L-arms, coil springs, stabilizer bar		
Rear	Double wishbone with pillow ball-joint mount, coil springs (Premium, Sport and Limited add stabilizer bar)		
Brakes	Advanced Electronic Braking with power-assisted 4-wheel disc and 4-channel / 4-sensor ABS, Brake Assist and Brake Override systems		
Front	10.9-in. ventilated discs (Sport: 11.6-in.); dual-piston calipers		
Rear	10.8-in. solid discs; single-piston calipers		
Steering	Quick-ratio electric power assisted rack-and-pinion		
Ratio	13.0:1		
Turns, lock to lock	2.5		
Turning circle	35.4 ft.		
Wheels	Base 16 x 6.5 in. steel, full wheel cover		
	Premium 16 x 6.5 in. aluminum alloy, black with machine finish		
	Sport 18 x 7.5 in. aluminum alloy, black v	vith machine finish	
	Limited 17 x 7.0 in. aluminum alloy, dark gi	ray with machine finish	
Tires	Base and Premium 205/55R16 89V all season		
	Sport 225/40R18 88V all-season		
	Limited 205/50R17 89V all-season		
Exterior Dimensions			
Wheelbase	105.1 in.		
Length	Sedan: 182.1 in., 5-door: 175.6 in.		
Width	70.0 in. With mirrors: 79.4 in. With integrated turn signal mirrors: 79.9 in.		

Height	Sedans and 5-Door Sport: 57.3 in. 5-Door Premium and Limited: 58.9 in. (including roof rails)		
Track	Front: 60.6 in. Rear: 60.8 in.		
Min. road clearance	5.1 in.		
Base curb weight (lbs.)	Sedan	5-Door	
	Base (man. trans.): 2,976 Base (CVT): 3,047 Premium (CVT): 3,084 Sport (CVT): 3,142	Base (man. trans.): 2,989 Premium (CVT): 3,104 Sport (man. trans.): 3,084 Sport (CVT): 3,146 Limited (CVT): 3,150	
Interior Dimensions			
Headroom	Front: 39.8 in. With moonroof: 37.6 in. Rear: 37.2 in. With moonroof: 37.2 in.		
Legroom	Front: 43.1 in. Rear: 36.5 in.		
Shoulder room	Front: 56.7 in. Rear: 55.6 in.		
Hip room	Front: 55.1 in. Rear: 55.2 in.		
Trunk capacity, sedan	12.3 cu. ft.		
Cargo capacity, 5-Door	Rear seatbacks up: 20.8 cu. ft. Rear seatbacks down: 55.3 cu. ft.		
Max. load floor length	Rear seatbacks up: 32.3 in. Rear seatbacks down: 64.2 in.		
Fuel Economy	Sedan	5-Door	
EPA estimated city / highway / combined mpg	Base (5-speed) 23/31/26	Base (5-speed) 24/31/26	
	Base and Premium (CVT) 28/36/32	Base, Premium, Limited (CVT) 28/36/31	
	Sport (CVT) 27/36/30	<u>Sport (5-speed)</u> 22/30/25	
		Sport (CVT) 27/35/30	
Fuel capacity	13.2 gal.		